

**CONTRACT AWARD NOTIFICATION  
SEASONAL REQUIREMENTS FOR  
VARIOUS PORTLAND CEMENT MIXTURES**

**DATE:** March 4, 2003

**CONTRACT PERIOD:** May 1, 2003 thru Dec. 1, 2003

**CONTRACTOR:** Husker Ready Mixed Concrete  
141 "M" Street  
Lincoln, NE 68508

**PURCHASING DIVISION  
K-STREET COMPLEX  
440 SOUTH 8<sup>TH</sup> STREET  
LINCOLN, NEBRASKA 68508  
(402) 441-7410**

**Company Representative:** Joseph M. Delgado  
**Telephone No.:** 402/475-5030  
**FAX No.:** 402/475-5049  
**E-Mail Address:** jdelgado@tcwconstruction.com

---

THE CITY/COUNTY'S SPECIFICATIONS AND THE CONTRACTOR'S ACCEPTED PROPOSAL AND PRICING SCHEDULES, NOW ON FILE IN THE OFFICE OF THE CITY CLERK AND/OR THE COUNTY CLERK, ARE ADOPTED BY REFERENCE AND ARE AS FULLY A PART OF THIS CONTRACT FOR THE ABOVE-NAMED COMMODITY AS IF REPEATED VERBATIM HEREIN.

**AS PER ATTACHED CONTRACTOR PRICE LIST**

NO ACTION NEED BE TAKEN BY THE CONTRACTOR AT THIS TIME. ORDERS FOR MATERIAL WILL BE MADE AS NEEDED BY THE VARIOUS CITY/COUNTY DEPARTMENTS.

DEPARTMENTS REQUIRING CATALOGS AND/OR PRICING SCHEDULES SHALL NOTIFY THE CONTRACTOR DIRECTLY.

E.O. #66917  
Dated: 2/28/03



Thank you for  
your interest in

## **HUSKER READY-MIXED CONCRETE**

*Here to Serve Your Needs!*


We hope to earn your  
business with good  
service and quality  
concrete mixed right.

*Husker Ready-Mixed is a State and  
Federal certified DBE.*

### **HOURS OF SERVICE**

Hours of Service are from 7:00 am to 5:00 pm, Monday through Friday. Saturday service available, call by noon on Friday to schedule service. During the winter months, our hours are shortened to 7:30 am to 4:30 pm. Deliveries outside of the normal service hours will have an added charge.

**HUSKER CONCRETE L.L.C.**  
141 M Street  
Lincoln, NE 68508



## **Contractor Price List**

**(402) 438-2147**

**(402) 450-2642**

**FAX: (402) 438-2216**

### **Plant Location:**

201 So. 1st Street  
Lincoln, NE 68508

### **Mailing Address:**

141 M Street  
Lincoln, NE 68508





# HUSKER READY- MIXED CONCRETE

## Plant Location:

201 So. 1st Street

Lincoln, NE 68508

(402) 438-2147

## Price List Effective:

May 15, 2002

Prices subject to change without notice.

### Sand-Gravel Concrete

SG-2000 \$66.00	SG-2500 \$68.00
SG-3000 \$70.00	SG-3500 \$72.00
SG-4000 \$74.00	

### Sand-Gravel Fly Ash Concrete

SGF-2000 \$64.50	SGF-2500 \$66.50
SGF-3000 \$68.50	SGF-3500 \$70.50
SGF-4000 \$72.50	
3 Sack Easy Fill \$65.50	

*Admix is priced per ounce per cwt of cementitious material in each different mix. HUSKER READY-MIXED CONCRETE can design any mix. Let us help you with today's concrete technology.*

### ADMIXTURES

Pozz	\$0.08 per oz per cwt
Pro-N	\$0.06 per oz per cwt
Super	\$0.06 per oz per cwt
HE-202	\$0.03 per oz per cwt
Polyheed-997	\$0.08 per oz per cwt
Fibermesh	\$8.00 per yard

### EXPANSION JOINT - (10' Lengths)

Fibre:	Price Per Piece
1/2"x4"	\$4.00
1/2"x5"	\$5.50
1"x4"	\$8.00
1"x5"	\$9.70
1"x6"	\$11.50

### 10% Limestone and 90%

#### Sand-Gravel Concrete

LSG-2000 \$66.50	LSG-2500 \$68.50
LSG-3000 \$70.50	LSG-3500 \$72.50

### 10% Limestone and 90%

#### Sand-Gravel Fly Ash Concrete

LSGF-2000 \$65.00	LSGF-2500 \$67.00
LSGF-3000 \$69.00	LSGF-3500 \$71.00

### 30% Limestone and 70%

#### Sand-Gravel Concrete

L-3000 \$70.25	L-3500(47B) \$72.50
L-4000 \$74.50	L-4500(47BD) \$76.00
L-8 Sack \$80.75	

### 30% Limestone and 70%

#### Sand-Gravel Fly Ash Concrete

LF-3000	\$68.75
LF-3500(47B)	\$70.75
LF-4000	\$72.75
LF-4500(47BD)	\$74.75

## Part Load Charge

The following additional charge will be added to each order, or order back of less than 7 cubic yards. Accounts in good standing may have this charge waived.

0 - 3/4	\$49.00	1 - 1 3/4	\$42.00
2 - 2 3/4	\$35.00	3 - 3 3/4	\$28.00
4 - 4 3/4	\$21.00	5 - 5 3/4	\$14.00
6 - 6 3/4	\$7.00		

*The prices listed here are based on a minimum load of 7 cubic yards delivered within the City Zone, which extends 10 miles outside of the City Limits.*

## TRUCK HOLDING TIME

A \$50.00 per hour charge will be assessed for holding a truck at the job site in excess of 30 minutes.

## Outside of City Zone Charges

(Starts 10 Miles from City Limits)

Over 7 cubic yards - \$2.00 per every 5 miles

5 to 6 3/4 cubic yards - \$4.00 per every 5 miles Under 5 cubic yards - \$8.00 per every 5 miles

## CUSTOMER RESPONSIBILITIES

The customer is responsible for providing suitable access for the truck to deliver and exit under its own power. Failure to do so may result in an added charge for the services of a wrecker or tow truck. The customer is also responsible for any damage to persons or property caused by directing the driver beyond the curb line.

## PAYMENT TERMS

Net due at the end of the month following the invoice date. Finance charges will accrue at a rate of 1.33% per month, or 16% annually, on any amounts overdue at the end of the month following the invoice date. We offer a 2% discount on invoices paid by the 10th day of the month following the date of the invoice.

## WINTER PRICES

From November 15th to March 15th - add \$3.00 per cubic yard to cover increased winter operating expenses.

## CONCRETE STRENGTH

Normally the 2000 psi and 2500 psi strength concrete mixes are used for footings or protected, non-structural uses, and 3000 psi or over mixes are used for exposed slabs, walls and structural work. The strength indicated for each mix on the price list is based on a slump of 4 inches or less. **HUSKER READY-MIXED CONCRETE** assumes no responsibility for the strength or durability of concrete used which has a slump of over 3 inches, or which has an additive placed in the concrete after it leaves the concrete plant or has water added at the job by the customer.

When strength is used as a basis for acceptance of the strength, standard specimens shall be made, cured and tested in accordance with the latest publication of A.S.T.M. C-31, and acceptance based on paragraph 16.5.1 of A.S.T.M. C-94-74a, which states that no more than 20% of the strength tests shall have values less than the specified strength. The average of any six consecutive strength tests shall be equal to or greater than the specified strength.

(402) 438-2147

Prices subject to  
change without  
notice.

